







REF. ID.	PIN NO.	SIGNAL	WIRE COLOR	GAUGE	CONNECTOR TYPE	CABLE LENGTH
P1/ 24	1	+3.3VDC	ORANGE	18	WST P20-142002K11D+ P4-142002K11D or EQUIV.	500± ²⁰ / ₁₀ mm
	2	+3.3VDC	ORANGE	18		
	3	COM	BLACK	18		
	4	+5VDC	RED	18		
	5	COM	BLACK	18		
	6	+5VDC	RED	18		
	7	COM	BLACK	18		
	8	PW_OK	GRAY	24		
	9	+5Vsb	PURPLE	20		
	10	+12V1	YELLOW	16		
	11	+12V1	YELLOW	16		
	12	+3.3VDC	ORANGE	18		
	13	+3.3VDC	ORANGE	18		
	14	+3.3Sense	BROWN	24		
	15	-12VDC	BLUE	24		
	16	COM	BLACK	18		
	17	PS_ON#	GREEN	24		
	18	COM	BLACK	18		
	19	COM	BLACK	18		
	20	COM	BLACK	18		
	21	+5VDC	RED	18		
	22	+5VDC	RED	18		
	23	+5VDC	RED	18		
	24	COM	BLACK	18		
P3	1	COM	BLACK	18	MOLEX 39-01-2040 or EQUIV.	500± ²⁰ / ₁₀ mm
	2	COM	BLACK	18		
	3	+12V2	YEL/BLK	16		
	4	+12V2	YEL/BLK	16		
PA PC	1	+3.3VDC	ORANGE	20	MOLEX SD-67926-0011 or EQUIV.	320± ²⁰ / ₁₀ mm
	2	COM	BLACK	20		
	3	+5VDC	RED	20		
	4	COM	BLACK	20		
	5	+12V1	YELLOW	20		
PB PD	1	+3.3VDC	ORANGE	20	MOLEX SD-67582-001 or EQUIV.	150±10mm
	2	COM	BLACK	20		
	3	+5VDC	RED	20		
	4	COM	BLACK	20		
	5	+12V1	YELLOW	20		
P4 P7	1	+12V1	YELLOW	18	AMP 1-480424-0 or EQUIV.	500± ²⁰ / ₁₀ mm
	2	COM	BLACK	18		
	3	COM	BLACK	18		
	4	+5VDC	RED	18		
P5	1	+12V1	YELLOW	18	AMP 1-480424-0 or EQUIV.	150±10mm
	2	COM	BLACK	18		
	3	COM	BLACK	18		
	4	+5VDC	RED	18		
P6 P8	1	+5VDC	RED	20	AMP 171822-4 or EQUIV.	150±10mm
	2	COM	BLACK	20		
	3	COM	BLACK	20		
	4	+12V1	YELLOW	20		
P9	1	+12V1	YELLOW	20	WST P6-142002BK5 or EQUIV.	500± ²⁰ / ₁₀ mm
	2	+12V1	YELLOW	20		
	3	+12V1	YELLOW	20		
	4	COM	BLACK	20		
	5	COM	BLACK	20		
	6	COM	BLACK	20		



NOTE:
1. ALL THE LENGTH OF OUTPUT WIRES EXCLUDE HOUSING.

UNIT:mm

MODEL NO.: TC-400PD8		TITLE:ASSY	SHEET: 1 OF 1	REV:01
R&D 8	PE	DRAWN	DATE	
				2009-10-14